

MATERIAL SAFETY DATA SHEET

MSDS No.: U-0124

Prepared: 3 February 2004

Supersedes: N/A

Emergency Number: 800-441-8227

SECTION I

PRODUCT NAME: ACTIPREP® Antiseptic **NDC:** 0064-1011 -02 and 0064-1011-16

MANUFACTURER: DPT Laboratories, Ltd.
307 East Josephine Street
San Antonio, TX 78215-1128

MANUFACTURED FOR: Healthpoint, Ltd.
3909 Hulen Street
Fort Worth, TX 76107

PRODUCT TYPE: Pre-operative skin preparation

NFPA HAZARD RATINGS (SCALE 0-4):

HEALTH - 1 FIRE - 4 REACTIVITY - 0

SECTION II - Components

PRODUCT DESCRIPTION: Quantitative formulation is proprietary.

ACTIVE COMPONENT:	Alcohol 73% w/w	CAS Number: 64-17-5
OTHER COMPONENTS:	Ascorbyl Palmitate	137-66-6
	Benzyl Alcohol	100-51-6
	Citric Acid	77-92-9
	D&C Orange #4	633-96-5
	Fragrance	Proprietary
	Glyceryl Laurate	142-18-7
	Hydroxypropyl Cellulose	9004-64-2
	Isopropyl Myristate	110-27-0
	Linoleic Acid	60-33-3
	Phenyl Ethyl Alcohol	60-12-8
	Polyoxyl 40 Stearate	9004-99-3
	Povidone	9003-39-8
	Propylene Glycol	57-55-6
	Purified Water	7732-18-5
	Zinc Pyrithione	13463-41-7

SECTION III - Physical Data

HAZARD DESCRIPTION: **FLAMMABLE.** The product may cause allergic or sensitivity reaction for individuals sensitive to one or more of the components.

APPEARANCE: Viscous, pumpkin-orange lotion

SOLUBILITY IN WATER: Soluble

SPECIFIC GRAVITY (water = 1.00): 0.84

SECTION IV - Fire and Explosion Hazard Data

FLASH POINT: 70° F (21°C) Closed cup

EXTINGUISHER MEDIA: ABC all purpose extinguisher, Water, CO₂, Alcohol-resistant foam

SPECIAL FIRE FIGHTING PROCEDURES: SCBA, OBA, or other similar equipment may be required for fires involving large inventories of this material stored in enclosed spaces.

UNUSUAL FIRE AND EXPLOSION HAZARD: This product is a hydro-alcoholic suspension and may present a fire or explosion hazard.

SECTION V - Reactivity Data

REACTIVITY: N/A

CONDITION(S) TO AVOID: Excessive heat above 86°F for prolonged periods.

INCOMPATIBILITIES: Strong oxidizers.

HAZARDOUS DECOMPOSITION: Oxides of Nitrogen and Sulfur, Carbon Dioxide, and Carbon Monoxide may be produced during pyrolysis.

HAZARDOUS POLYMERIZATION: None known.

SECTION VI - Health Effects and First Aid

ROUTES OF ENTRY: Dermal, ocular, oral, inhalation.

SYMPTOMS OF EXPOSURE: This product is considered safe for its intended use. Skin – allergic or sensitivity reactions are possible, causing irritation or redness. Eye – irritation, burning/stinging. Use of this product should be discontinued any time a reaction occurs. A physician, emergency room or Poison Control Center should be called any time the product is ingested orally.

FIRST AID

EYE AND MUCOUS MEMBRANE CONTACT: Remove contact lens if worn. Flush with water for 15 minutes. Protect unaffected eye. Hold eyelids open to assure complete contact with water. If irritation persists, seek medical attention.

SECTION VI - Health Effects and First Aid (continued)

FIRST AID

SKIN CONTACT: Should skin irritation, allergic reaction, or rash occur, remove contaminated clothing if required, then physically remove as much of the product as possible and thoroughly flush the area with water. If irritation persists, seek medical attention.

INGESTION: Product is water soluble with low toxicity. Do not induce vomiting as aspiration of the product might occur. Drink large amounts of water slowly. In cases where the ingestion of a large amount is suspected, experienced medical personnel may perform gastric lavage.

INHALATION: May cause irritation of the nasal mucosa and respiratory tract. Remove to fresh air. If not breathing, perform artificial respiration. If breathing is difficult, give oxygen. Obtain appropriate medical attention.

CARCINOGENICITY: Not tested. None of the ingredients in this product are listed by International Agency for Research on Cancer (IARC), National Toxicology Program (NTP), or Occupational Safety and Health Administration (OSHA) as carcinogens. Product does not contain any chemical included in the State of California Environmental Protection Agency listing of chemicals known to the state to cause cancer or reproductive toxicity (Proposition 65 List).

MEDICAL CONDITIONS USUALLY AGGRAVATED BY EXPOSURE: None known.

SECTION VII - Storage and Handling Precautions

STORAGE:

- Controlled room temperature, 20°C – 25°C (68°F – 77°F); excursions or deviations between 15° and 30°C (59° and 86°F) are permissible
- Avoid warm temperatures – in excess of 86°F (30°C) or storage near a heat source.
- Avoid excessive heat – in excess of 40°C (104°F)
- Keep away from sparks or other sources of ignition
- Protect from freezing.

SPILL:

- Small spills – Absorb with paper towel or other appropriate media. Use soap and water to clean the area, absorb with paper towel or other appropriate media.
- Keep product out of drains; prevent entry to surface water, groundwater and soil.
- Large Spills – Collect in a suitable container or by use of an absorbent pad.

PROTECTIVE EQUIPMENT: Wear safety glasses with side shields if eye contact is likely, e.g., during clean up of large spill. Wear gloves, lab coat, or other protective over-garment if skin contact is likely, e.g., during clean up of large spill.

DISPOSAL: Material should be disposed of by placing in a landfill or by incineration in accordance with relevant Federal, State, and Local regulations. This product meets the definition of hazardous waste as defined in 40 CFR 261.11.

SECTION VIII - Special Protection Information

The following information assumes large quantities of the product such as might be encountered in warehouse storage or an industrial accident.

VENTILATION: Use general or local exhaust.

FIRE FIGHTING: Use ABC all purpose extinguisher media or CO₂, Alcohol-resistant foam

SPECIAL PRECAUTIONS: N/A

RESPIRATORY PROTECTION: SCBA, OBA, or other similar equipment may be required for fires involving large inventories of this material stored in enclosed spaces.

SECTION IX - Transportation and Shipping Information

Packaged Product – DOT Class Consumer Commodity ORM-D.

Bulk Product – The hazard class definitions of 49 CFR 173 are applicable to this product. Flammable Liquid, UN 1170

The information contained herein is furnished without warranty of any kind. The above information is believed to be correct but does not purport to be all-inclusive and should be used only as a guide. Users should make independent determinations of the suitability and completeness of information from all sources to assure proper use and disposal of these materials and the safety and health of employees and customers.
