

UPC
FPO

XENADERM™

FOR EXTERNAL USE ONLY
Rx ONLY
PAT. NO. 6,479,060

ACTIVE INGREDIENTS: Each gram contains Trypsin USP NLT 90 USP units, Balsam Peru 87.0 mg, Castor Oil USP/NF 788.0 mg.

INACTIVE INGREDIENTS: Safflower Oil, Aluminum Magnesium Hydroxide Stearate.

ACTION: Balsam Peru is an effective capillary bed stimulant used to increase circulation in the wound site area. Also, Balsam Peru has a mildly bactericidal action. Castor Oil is used to improve epithelialization by reducing premature epithelial desiccation and cornification. Also, it can act as a protective covering and aids in the reduction of pain. Trypsin is intended for debridement of eschar and other necrotic tissue. It appears that in many instances removal of wound debris strengthens humoral defense mechanisms sufficiently to retard proliferation of local pathogens.

INDICATIONS: To promote healing and the treatment of decubitus ulcers, varicose ulcers and dehiscent wounds.

USES: XENADERM™ is easy to apply and quickly reduces odor frequently accompanying a decubitus

ulcer. The wound may be left open or appropriate dressing applied. As a suggestion, keep in mind wounds heal poorly in the presence of hemoglobin or zinc deficiency. XENADERM™ can relieve pain and promote healing.

WARNING: Do not apply to fresh arterial clots. Avoid contact with eyes. Keep out of reach of children. Use only as directed. When applied to a sensitive area, a temporary stinging sensation may be noted.

DOSAGE: Apply a thin film of XENADERM™ a minimum of twice daily or as often as necessary. Wound may be left unbandaged or appropriate dressing applied. To remove, wash gently with appropriate cleanser.

HOW SUPPLIED: XENADERM™ is supplied in 60 gram tubes.

NDC 0064-3900-60

Store XENADERM™ between 15° and 30° C (59° and 86° F). Avoid freezing.

Distributed by:

HEALTHPOINT®

Healthpoint, Ltd.
San Antonio, Texas 78215
1-800-441-8227
www.healthpoint.com

Manufactured by:
DPT Laboratories, Ltd.
San Antonio, TX 78215

xxxxxx-1002